

# INDIAN INSTITUTE OF TECHNOLOGY KANPUR



## STORES & PURCHASE SECTION

P.O. IIT Kanpur-208016

Tele Ph No. 0512-2597214

0512-2597384

Fax No. : 0512-2597659

Enquiry No. : S&P/IWD/New LHC

Date: 31.03.2015

### TENDER NOTICE

Dy. Registrar (S&P), on behalf of Director, IIT Kanpur invites sealed quotation for providing & fixing seating arrangement at New Lecture Halls (01 No. 600 capacity & 2 Nos. 400 capacity)

IIT Kanpur invites you to tender for the above mentioned project:

**a. Name & Nature of Works:**

Providing and fixing seating arrangement at new lecture halls 01 No. of 600 Capacity and 02 Nos. of 400 capacities. **(Complete Detail as per Annexure-'A')**

**b. Submission:-**

Sealed tenders shall be received at the office of Deputy Registrar, Central Stores, IIT Kanpur-208016 upto 17.04.2015 till 03:00 P.M.

**c. Time of Completion:-**

Two (2) months.

**d. Validity:-**

Tenders will be valid for acceptance for 90 days from the last date of submission.

Sd/-  
Dy. Registrar (S&P)

## **Project specific terms & conditions**

### **1. Bidder Qualification Requirement:-**

- A. The bidder should fulfill atleast one condition from the below mentioned list:-
1. The bidder should have executed 1 no. of order (similar nature) having minimum value of Rs.4320000=00.
  2. The bidder should have executed 2 no. of orders (similar nature) having minimum value of Rs.3240000=00.
  3. The bidder should have executed 3 no. of orders (similar nature) having minimum value of Rs.2160000=00.
- B. The bidding company should be headed by technically qualified person or its project head for the proposed project should be technically qualified, having exposure to same kind of work in hospitality sector etc.
2. The Employer-M/S IIT Kanpur, reserves the right to reject any or all the tenders and accept the lowest or any other tender or award the different parts of the tender by splitting them to different TENDERERS without assigning any reasons thereof.
  3. Any work/part of the contract works shall not be sub-let to a third party without the prior written approval of the Employer/Architect. Only those sub-contractors shall be employed who are pre-approved by Employer/Architect.
  4. No interest shall be payable on security deposits or any delayed payments, at any stage.
  5. The cost/expenses incurred in preparing & submission of this tender shall be exclusively borne by the TENDERER only.
  6. The TENDERER is advised to note that this is a prestigious project of the employer to be executed by them in accordance with the details given in the tender documents, in order to provide materials and workmanship of international standards.
  7. The details, information, drawings, specification of material etc being provided with the tender documents are the absolute and exclusive property of IIT Kanpur.
  8. The tenderer is required to keep all the information/details/drawings/material specification highly confidential and to maintain secrecy.
  9. The tenderer shall not be allowed to copy or otherwise reproduce in any way nor convey to any third party, any information contained in the tender documents or drawings.
  10. All tenderer shall be required to return all technical details/description/specification of material/drawing etc. to the Architect/IIT Kanpur at the time of submission of tender.
  11. 90% payment will be made on Proforma Invoice of the firm which will be given to the firm against completion of the work and balance 10% payment after satisfactory inspection and approval.

## Annexure-A

### SCHEDULE OF QUANTITY

N/W Providing and fixing seating arrangements at New lecture halls ( 01 no. 600 capacity and 02 no's 400 capacity )

SLNo	Description	Qty	Unit	Rate	Amount
1	MINOR CIVIL MAINTENANCE WORK				
1.1	Structure steel frame work for seating arrangement in stepped classrooms welded in builtup MS sections and MS tubes 'B' class for fixing seat, back and arm rest cum writing pad including cutting, hoisting fixing in position with the help of heavy duty dash fastner of appropriate dia and length, welded and bolted with special shaped washer with necessary hole drilling in floor etc., including fabrication of book tray with MS rods of varying dia 4 mm to 12 mm and fixed to MS frame under the seat with necessary welding etc. complete. And painting two or more coats with synthetic enamel paint of approved brand and manufacture of required colour to give even shade over a coat of approved steel primer all as directed by Engineer - in - charge. The complete arrangement shall be as per L16.	22650	kg		0.00
1.2	Providing and fixing wooden seat of size 450 x 450 mm made up of 2 no's, 4 mm thick exterior grade commercial plywood (anti termite treated ) of Century, Duro or approved equivalent make, glued together and pressed to take requried shape including 4 mm thick natural veneer ( steam beach or shade of veneer provided in the acoustic treatment of lecture hall ) of Century, Duro or approved equivalent make is to be pasted on top surface of already pressed plywoods with coating of melamine polish with necessary filler on both side and edges etc. complete as per direction of Engineer-in-charge the same to be fixed over mild steel base frame with necessary nut and bolts.	1400	each		0.00
1.3	Providing and fixing wooden back of size of 450 x 400 mm made up of 2 no's, 4 mm thick exterior grade commercial plywood (anti termite treated ) of Century, Duro or approved equivalent make, glued together and pressed to take requried shape including 4 mm thick natural veneer ( steam beach or shade of veneer provided in the acoustic treatment of lecture hall )of Century, Duro or approved equivalent make is to be pasted on front face of already pressed plywoods with coating of melamine polish with necessary filler on both side and edges etc. complete as per direction of Engineer-in-charge the same to be fixed over mild steel back frame with necessary nut and bolts.	1400	each		0.00
1.4	Providing and fixing arm rest cum writing pad of size 520*220mm as per standard design provided in L-16 of Lecture Hall Complex made up of 19mm thick exterior grade commercial board (anti termite treated) of Century, Duro or approved equivalent make and 4mm thick natural veneer (steam beach or shade of veneer provided in the acoustic treatment of Lecture Hall ) of Century, Duro or approved equivalent make is to be pasted on top surface of board with coating of melamine polish with necessary filler on both faces and edges etc. complete as per direction of Engineer-in-Charge the same to be fixed to the M.S. frame with necessary nut and bolts.	1400	each		0.00
<b>Total</b>					<b>0.00</b>









